

1.5. HEISENBERG UNCERTAINTY PRINCIPLE AND ECONOMIC ANALOGUES OF BASIC PHYSICAL QUANTITIES

Annotation. From positions, attained by modern theoretical physics in understanding of the universe bases, the methodological and philosophical analysis of fundamental physical concepts and their formal and informal connections with the real economic measurings is carried out. Procedures for heterogeneous economic time determination, normalized economic coordinates and economic mass are offered, based on the analysis of time series, the concept of economic Plank's constant has been proposed. The theory has been approved on the real economic dynamic's time series, including stock indices, Forex and spot prices, the achieved results are open for discussion.

Keywords: *quantum econophysics, uncertainty principle, economic dynamics time series, economic time.*

1. Introduction

The instability of global financial systems depending on ordinary and natural disturbances in modern markets and highly undesirable financial crises are the evidence of methodological crisis in modelling, predicting and interpretation of current socio-economic conditions.

In papers [1-2] we have suggested a new paradigm of complex systems modelling based on the ideas of quantum as well as relativistic mechanics. It has been revealed that the use of quantum-mechanical analogies (such as the uncertainty principle, notion of the operator, and quantum measurement interpretation) can be applied to describing socio-economic processes.

It is worth noting that quantum analogies in economy need to be considered as the subject of new inter-disciplinary direction – quantum econophysics (e.g. [3-5]), which, despite being relatively young, has already become a part of classical econophysics [6-7]. However significant differences between physical and socio-economical phenomena, diversity and complexity of mathematical toolset as well as lack of deep understanding of quantum ideology among the scientists, working at the joint of different fields require a special approach and attention while using quantum econophysical analogies.

Our aim is to conduct methodological and philosophical analysis of fundamental physical notions and constants, such as time, space and spatial coordinates, mass, Planck's constant, light velocity from the point of view of modern theoretical physics, and search of adequate and useful analogues in socio-economic phenomena and processes.

2. About nature and interrelations of basic physical notions

Time, distance and mass are normally considered to be initial, main or basic physical notions, that are not strictly defined. It is thought that they can be matched with certain numerical values. In this case other physical values, e.g. speed, acceleration, pulse, force, energy, electrical charge, current etc. can be conveyed and defined with the help of the three above-listed ones via appropriate physical laws.

Let us emphasize that none of the modern physical theories, including relativistic and quantum physics, can exist without basic notions. Nevertheless, we would like to draw attention to the following aspects.

As Einstein has shown in his relativity theory, presence of heterogeneous masses leads to the distortion of 4-dimensional time-space in which our world exists. As a result Cartesian coordinates of the 4-dimensional Minkowski space (x, y, z, ict) , including three ordinary Cartesian coordinates (x, y, z) and the fourth formally introduced time-coordinate ict ($i = \sqrt{-1}$ - imaginary unit, c - speed of light in vacuum, t - time), become curvilinear [33,34].

It is also possible to approach the interpretation of Einstein's theory from other point of view, considering that the observed heterogeneous mass distribution is the consequence of really existing curvilinear coordinates (x, y, z, ict) . Then the existence of masses in our world becomes the consequence of geometrical factors (presence of time-space and its curvature) and can be described in geometrical terms.

If we step away from global macro-phenomena that are described by the general relativity theory, and move to micro-world, where laws of quantum physics operate, we come to the same conclusion about the priority of time-space coordinates in the definition of all other physical values, mass included.

To demonstrate it, let us use the known Heisenberg's uncertainty ratio which is the fundamental consequence of non-relativistic quantum mechanics axioms and appears to be (e.g. [2]):

$$\Delta x \cdot \Delta v \geq \frac{\hbar}{2m_0}, \quad (1)$$

where Δx and Δv are mean square deviations of x coordinate and velocity v corresponding to the particle with (rest) mass m_0 , \hbar - Planck's constant. Considering values Δx и Δv to be measurable when their product reaches its minimum, we derive (from (1)):

$$m_0 = \frac{\hbar}{2 \cdot \Delta x \cdot \Delta v}, \quad (2)$$

i.e. mass of the particle is conveyed via uncertainties of its coordinate and velocity – time derivative of the same coordinate.

Nowadays, scientists from different fields occupy themselves with the investigation of structure and other fundamental properties of spacetime from physical, methodological, psychological, philosophical and other points of view. However, theoretical physics [35,36], including its most advanced and developing spheres (e.g. string theory [36,37]) is expected to show the most significant progress in understanding the subject, though there is no single concept so far [35-41].

Within fundamental physical science we can mark out two investigational directions: 1) receipt of quantitative patterns, possible to verify experimentally or empirically and 2) interpretation of existing theories or development of new theories, that allow accurate and laconic (involving as little as possible mathematical notions and formalisms) interpretation of basic physical facts. The second direction is especially important when speaking of transferring physical notions and mathematical formalisms into other spheres, e.g. economics.

Not claiming to be exhaustive, aiming to make the audience (professional economists included) as wide as possible, we will confine ourselves to the examination of the most typical and clear examples.

According to the concept, having been developed for the last couple of decades by the Moscow school of theoretical physicists (headed by Y. Vladimirov), space, time, and four fundamental physical interactions (gravitational, electromagnetic, strong and

weak) are secondary notions. They share common origins and are generated by the so-called world matrix which has special structure and peculiar symmetrical properties. Its elements are complex numbers which have double transitions in some abstract pre-space.

At the same time, physical properties of spacetime in this very point are defined by the nonlocal («immediate») interaction of this point with its close and distant neighbourhood, and acquire statistical nature. In other words, according to Vladimirov's concept, the observed space coordinates and time have statistical nature.

It is worth noting that similar ideas as of interpreting quantum mechanics, different from those of the Copenhagen school were proclaimed by John Cramer [35] (Transactional interpretation of quantum mechanics).

In our opinion the afore-mentioned conception of nonlocal statistical origin of time and space coordinates can be qualitatively illustrated on the assumptions of quantum-mechanical uncertainty principle using known ratios (e.g. [2]:)

$$\Delta p \cdot \Delta x \sim \hbar ; \quad (3)$$

$$\Delta E \cdot \Delta t \sim \hbar ; \quad (4)$$

$$\Delta p \cdot \Delta t \sim \frac{\hbar}{c} . \quad (5)$$

Interpreting values $\Delta E, \Delta p, \Delta x, \Delta t$ as uncertainties of particle's energy E , its pulse p , coordinate x and time localization t (the latter ratio relates to the relativistic case $E = pc$, and is formally derived from the ratio (4), if $\Delta E = \Delta p \cdot c$, and takes into account maximum speed c limitations in an explicit form), let us conduct the following reasoning.

While $\Delta x \rightarrow 0$ uncertainty of pulse, and thus particle energy, uncertainty, formally becomes as big as possible, which can be provided only by its significant and nonlocal energetical interaction with the rest of the neighbourhood (3). On the other side, while $\Delta p \rightarrow 0$ the particle gets smeared along the whole space (according to (3) $\Delta x \rightarrow \infty$), i.e. becomes delocalized. It might be supposed that the fact of «delocalized» state of the particle takes place in any other, not necessarily marginal Δx and Δp value ratios.

Similar results can be acquired while analyzing ratios (4,5), and for temporary localization Δt .

Vladimirov's concept probably becomes more graphic (at least for those, who are familiar with the basics of the band theory), if one remembers that so-called «electrons» and «holes» are considered to be really existing charge bearers in semiconductors. These «particles» have negative and positive charge respectively, accurate to the decimal place, which corresponds to the charge of a free electron, and are characterised by effective masses m_e and m_h , different from the mass of a free electron (generally m_e and m_h can also be tensor values). However, in reality, these particles are virtual results of the whole semiconductor crystal – so-called quasi-particles – and don't exist beyond its bounds.

Drawing the analogy with crystal it can be supposed that all structural formations of our Universes are such «quasi-particles», caused by nonlocal interaction and non-existent beyond its spacetime bounds.

In conclusion we would like to note that the concept of nonlocal interaction is quite capable of giving the logical explanation to the empirical fact of indistinguishability and identity of all microparticles of this kind, which always takes place during the observation (identification) regardless of spacetime localization of this very observation.

Dynamical peculiarities of economic measurements, economical analog of Heisenberg's uncertainty ratio. Main physical laws are normally distinguished with the presence of constants, that have been staying unchanged for the past $\sim 10^{11}$ years (the age of our Universe since so-called «big bang»- the most widespread hypothesis of its origin). Gravitational constant, speed of light in vacuum, Planck's constant are among the above-listed.

Speaking of economic laws, based on the results of both physical (e.g. quantities of material resources) and economical (e.g. their value) dynamic measurements, the situation will appear to be somewhat different. Adequacy of the formalisms used for mathematical descriptions has to be constantly checked and corrected if necessary. The reason is that measurements always imply a comparison with something, considered to be a model, while there are no constant standards in economics (they change not only quantitatively, but also qualitatively – new standards and models appear). Thus, economic measurements are fundamentally relative,

are local in time, space and other socio-economic coordinates, and can be carried out via consequent and/or parallel comparisons «here and now», «here and there», «yesterday and today», «a year ago and now» etc.

Due to these reasons constant monitoring, analysis, and time series prediction (time series imply data derived from the dynamics of stock indices, exchange rates, spot prices and other socio-economic indicators) becomes relevant for evaluation of the state, tendencies, and perspectives of global, regional, and national economies.

Let us proceed to the description of structural elements of our work and building of the model.

Suppose there is a set of M time series, each of N samples, that correspond to the single distance T , with an equal minimal time step Δt_{\min} :

$$X_i(t_n), t_n = \Delta t_{\min} n; n = 0, 1, 2, \dots, N-1; i = 1, 2, \dots, M. \quad (6)$$

To bring all series to the unified and non-dimensional representation, accurate to the additive constant, we normalize them, having taken a natural logarithm of each term of the series:

$$x_i(t_n) = \ln X_i(t_n), t_n = \Delta t_{\min} n; n = 0, 1, 2, \dots, N-1; i = 1, 2, \dots, M. \quad (7)$$

Let us consider that every new series $x_i(t_n)$ is a one-dimensional trajectory of a certain fictitious or abstract particle numbered i , while its coordinate is registered after every time span Δt_{\min} , and evaluate mean square deviations of its coordinate and speed in some time window ΔT :

$$\Delta T = \Delta N \cdot \Delta t_{\min} = \Delta N, \quad 1 \ll \Delta N \ll N. \quad (8)$$

The «immediate» speed of i particle at the moment t_n is defined by the ratio:

$$v_i(t_n) = \frac{x_i(t_{n+1}) - x_i(t_n)}{\Delta t_{\min}} = \frac{1}{\Delta t_{\min}} \ln \frac{X_i(t_{n+1})}{X_i(t_n)}, \quad (9)$$

its variance D_{v_i} :

$$D_{v_i} = \frac{1}{(\Delta t_{\min})^2} \left(\left\langle \ln^2 \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n, \Delta N} - \left(\left\langle \ln \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n, \Delta N} \right)^2 \right), \quad (10)$$

and mean square deviation Δv_i :

$$\Delta v_i = \sqrt{D_{v_i}} = \frac{1}{(\Delta t_{\min})} \left(\left\langle \ln^2 \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n,\Delta N} - \left(\left\langle \ln \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n,\Delta N} \right)^2 \right)^{\frac{1}{2}}, \quad (11)$$

where $\langle \dots \rangle_{n,\Delta N}$ means averaging on the time window of $\Delta T = \Delta N \cdot \Delta t_{\min}$ length. Calculated according to (11) value of Δv_i has to be ascribed to the time, corresponding with the middle of the averaging interval ΔT .

To evaluate dispersion D_{x_i} coordinates of the i particle are used in an approximated ratio:

$$2D_{x_i} \approx D_{\Delta x_i}, \quad (12)$$

where

$$\begin{aligned} D_{\Delta x_i} &= \langle (x_i(t_{n+1}) - x_i(t_n))^2 \rangle_{n,\Delta N} - \left(\langle x_i(t_{n+1}) - x_i(t_n) \rangle_{n,\Delta N} \right)^2 = \\ &= \left\langle \ln^2 \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n,\Delta N} - \left(\left\langle \ln \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n,\Delta N} \right)^2, \end{aligned} \quad (13)$$

which is derived from the supposition that x coordinates neighbouring subject to the time of deviation from the average value \bar{x} are weakly correlated:

$$\langle (x_i(t_n) - \bar{x})(x_{i+1}(t_n) - \bar{x}) \rangle_{n,\Delta N} \approx 0. \quad (14)$$

Thus, taking into account (12) and (13) we get:

$$\Delta x_i = \sqrt{\frac{D_{\Delta x_i}}{2}} = \frac{1}{\sqrt{2}} \left(\left\langle \ln^2 \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n,\Delta N} - \left(\left\langle \ln \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n,\Delta N} \right)^2 \right)^{\frac{1}{2}}. \quad (15)$$

Pay attention that it was not necessary for us to prove the connection (12), as it was possible to postulate statement (15) as the definition of Δx_i .

It is also worth noting that the value

$$|v_i(t_n)| \cdot \Delta t_{\min} = \left| \ln \frac{X_i(t_{n+1})}{X_i(t_n)} \right|,$$

which, accurate to multiplier Δt_{\min} coincides with $|v_i(t_n)|$ (see (9)), is commonly named absolute returns, while dispersion of a random

value $\ln(X_i(t_{n+1})/X_i(t_n))$, which differs from D_{v_i} by $(\Delta t_{\min})^2$ (see (13)) – volatility.

The chaotic nature of real time series allows to $x_i(t_n)$ as the trajectory of a certain abstract quantum particle (observed at Δt_{\min} time spans). Analogous to (1) we can write an uncertainty ratio for this trajectory:

$$\Delta x_i \cdot \Delta v_i \sim \frac{h}{m_i}, \quad (16)$$

or, taking into account (11) и (15):

$$\frac{1}{\Delta t_{\min}} \left(\left\langle \ln^2 \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n,\Delta N} - \left(\left\langle \ln \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n,\Delta N} \right)^2 \right) \sim \frac{h}{m_i}, \quad (17)$$

where m_i - economic “mass” of an i series, h - value which comes as an economic Planck’s constant.

Having rewritten the ration (17):

$$\Delta t_{\min} \cdot \frac{m_i}{(\Delta t_{\min})^2} \left(\left\langle \ln^2 \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n,\Delta N} - \left(\left\langle \ln \frac{X_i(t_{n+1})}{X_i(t_n)} \right\rangle_{n,\Delta N} \right)^2 \right) \sim h \quad (18)$$

and interpreting the multiplier by Δt_{\min} in the left part as the uncertainty of an «economical» energy (accurate to the constant multiplier), we get an economic analog of the ratio (4).

Since the analogy with physical particle trajectory is merely formal, h value, unlike the physical Planck’s constant \hbar , can, generally speaking, depend on the historical period of time, for which the series are taken, and the length of the averaging interval (e.g. economical processes are different in the time of crisis and recession), on the series number i etc. Whether this analogy is correct or not depends on particular series’ roperities.

Let us generalize the ratios (17,18) for the case, when economic measurements on the time span T , used to derive the series (6), are conducted with the time step $\Delta t = k \cdot \Delta t_{\min}$, where $k \geq 1$ - is a certain given integer positive number. From the formal point of view it would mean that all terms, apart from those numbered $n = 0, k, 2k, 3k, \dots$ are discarded from the initial series (6) As a result the ratios would be the following:

$$\frac{1}{k\Delta t_{\min}} \left(\left\langle \ln^2 \frac{X_i(t_{n+k})}{X_i(t_n)} \right\rangle_{n,\Delta N} - \left(\left\langle \ln \frac{X_i(t_{n+k})}{X_i(t_n)} \right\rangle_{n,\Delta N} \right)^2 \right) \sim \frac{h}{m_i}, \quad (19)$$

$$k\Delta t_{\min} \cdot \frac{1}{(k\Delta t_{\min})^2} \left(\left\langle \ln^2 \frac{X_i(t_{n+k})}{X_i(t_n)} \right\rangle_{n,\Delta N} - \left(\left\langle \ln \frac{X_i(t_{n+k})}{X_i(t_n)} \right\rangle_{n,\Delta N} \right)^2 \right) \sim \frac{h}{m_i} \quad (20)$$

and would be dependent on k .

Let us proceed to the analysis of the acquired results, that have to be considered as intermediate.

In case of $h = const$, the formal analogy with the physical particle would be complete, and in this case, as appears from (19), variance of a random i -numbered value:

$$\ln \frac{X_i(t_{n+k})}{X_i(t_n)} \approx \frac{X_i(t_{n+k}) - X_i(t_n)}{X_i(t_n)}$$

- practically coinciding with the relative increment of terms of the i initial series – would keep increasing in a linear way with $k\Delta t_{\min}$ (interval between the observations) growing. Such dynamics is peculiar to the series with statistically independent increments.

However, both in cases of a real physical particle and its formal economic analogue any kind of change influences on the result. Therefore statistic properties of the «thinned» series, used to create the ratio (19), have to depend on *real* measurements in the intermediate points if there were any. Besides, presence of «long» and «heavy» «tails» increasing along the amplitude with decreasing Δt on distributions of corresponding returns $\Delta X/X$, are in our opinion the evidence of this thesis.

Thus, generalizing everything said above, h/m_i ratio on the right side of (19) (or (20)) has to be considered a certain unknown function of the series number i , size of the averaging window ΔN , time \bar{n} (centre of the averaging window), and time step of the observation (registration) k .

To get at least an approximate, yet obvious, formula of this function and track the nature of dependencies, we postulate the following model presentation of the right side (19):

$$\frac{h}{m_i} \cong \frac{\tau(\bar{n}, \Delta N_{\tau}) \cdot H_i(k, \bar{n}, \Delta N_H)}{\Delta t_{\min} \cdot m_i}, \quad (21)$$

where

$$\frac{1}{m_i} = \langle \varphi_i(n,1) \rangle_{(0 \leq n \leq N-2)}, \quad (22)$$

m_i is a non-dimensional economic mass of an i -numbered series,

$$\tau(\bar{n}) = \frac{\langle \varphi_i(n,1, \Delta N_\tau) \rangle_{(\bar{n}-\Delta N_\tau/2 < n < \bar{n}+\Delta N_\tau/2), (1 \leq i \leq M)}}{\langle \langle \varphi_i(n,1, \Delta N_\tau) \rangle_{(\bar{n}-\Delta N_\tau/2 < n < \bar{n}+\Delta N_\tau/2), (1 \leq i \leq M)} \rangle_{\bar{n}}} \quad (23)$$

- local physical time compression ($\tau(\bar{n}) < 1$) or magnification ($\tau(\bar{n}) > 1$) ratio, which allows to introduce the notion of heterogenous economic time (for a homogenous $\tau(\bar{n}) = 1$),

$$H_i(k, \bar{n}) = \frac{\langle \varphi_i(n, k, \Delta N_H) \rangle_{\bar{n}-\Delta N_H/2 < n < \bar{n}+\Delta N_H/2}}{\langle \varphi_i(n,1, \Delta N_H) \rangle_{\bar{n}-\Delta N_H/2 < n < \bar{n}+\Delta N_H/2}}; \quad k = 1, 2, \dots, k_{\max} \quad (24)$$

- non-dimensional coefficient of the order of unit, which indicates differences in the dependence of variance $D_{\Delta x_i}$ (see (13) taking into account the case of $k \geq 1$) on the law $D_{\Delta x_i} \sim k$ for the given i and \bar{n}

$$\varphi_i(n, k, \tilde{N}) = \frac{1}{k} \left(\ln^2 \frac{X_i(t_{n+k})}{X_i(t_n)} - \left(\langle \ln \frac{X_i(t_{n+k})}{X_i(t_n)} \rangle_{n, \tilde{N}} \right)^2 \right) \quad (25)$$

(index $\tilde{N} = N, \Delta N_\tau, \Delta N_H$ in the last formula indicates the averaging parameters according to n and formulae (22,23,24)), averaging windows $\Delta N_\tau, \Delta N_H$ are chosen with the following conditions taken into consideration:

$$k_{\max} < \Delta N_\tau < \Delta N_H < N. \quad (26)$$

According to the definitions (23,24) for coefficients $\tau(\bar{n})$ and $H_i(k, \bar{n})$ following conditions of the normalization take place:

$$\langle \tau(\bar{n}) \rangle_{\bar{n}, N} = 1; \quad H_i(1, \bar{n}) = 1, \quad (27)$$

and the multiplier $1/\Delta t_{\min}$ on the right side (21) can be considered as an invariant component of an economic Planck's constant h :

$$\bar{h} = 1/\Delta t_{\min}, \quad (28)$$

As you can see, \bar{h} has a natural dimension «time» to the negative first power.

It is also worth noting that average economic mass of the whole

set of series (or any separate group of the series) can be introduced with the help of the following formula:

$$\frac{1}{m} = \frac{1}{M} \sum_{i=1}^M \frac{1}{m_i}. \quad (29)$$

Acquired with the help of series (6) ratios (7,19-28) also allow different interpretations. For example, it can be considered that normalized series (7) depict the trajectory of a certain hypothetical economic quantum quasi-particle in an abstract M -dimensional space of economic indices, and m_i^{-1} are the main components of inverse mass tensor of the quasi-particle (the analogy with quasi-particles as free carriers of the electric charge in semiconductors), which has already been used in the previous chapter.

In the final part of this chapter we would like to pay attention to the chosen variant of the theory, which is probably the simplest one, because of the following reasons.

Carrying out various n (discrete time) and i (series number) averagings, we didn't take into account at least two fairly important factors: 1) amounts of financial and material resources (their movement is reflected by each series) and 2) possible correlation between the series.

However generalization of the theory and introduced notions is not so difficult in this case. It is enough to form a row $(\alpha_1, \alpha_2, \dots, \alpha_M)$ of positive weight coefficients with the following condition of normalization:

$$\sum_{i=1}^M \alpha_i = M, \quad (30)$$

with each of them taking into account the importance of separate series in terms of a certain criterion, while for random values

$$\phi_i(n, k) = \sqrt{\frac{\alpha_i}{k}} \ln \frac{X_i(t_{n+k})}{X_i(t_n)}, \quad i = 1, 2, \dots, M \quad (31)$$

instead of a one-dimensional massive (25) we should introduce a covariance matrix:

$$\Psi = [\psi_{ij}], \quad (32)$$

where

$$\psi_{ij} = \psi_{ij}(k, \tilde{N}) = \langle (\phi_i(n, k) - \bar{\phi}_i(n, k)) \cdot (\phi_j(n, k) - \bar{\phi}_j(n, k)) \rangle_{n, \tilde{N}}, \quad (33)$$

$$\bar{\phi}_i(j, k, \tilde{N}) = \langle \phi_i(n, k) \rangle_{n, \tilde{N}} \quad (34)$$

(with $\alpha_i = 1$ and absence of correlations $\psi_{ij} = \varphi_i \delta_{ij}$). Using a standard algorithm of characteristic constants λ_i , $i = 1, 2, \dots, M$ and corresponding orthonormal vectors $C_i = (c_{i1}, c_{i2}, \dots, c_{iM})$ search in Ψ matrix, we proceed to the new basis, where «renormalized» series $y_i(t_n) = \sum_{j=1}^M c_{ij} x_j(t_n)$ (new basis vectors) aren't correlated any more.

However the presence of zero characteristic constants or λ_i , which are distinguished with relatively low values in absolute magnitude, will mean that the real dimension of the set of series (7) is in fact less than M (initial series (7) or their parts are strongly correlated). In this case renormalized series $y_i(t_n)$ with zero or low characteristic constants have to be discarded. The remaining renormalized series will undergo all above-listed procedures.

Experimental results and their discussion. To test the suggested ratios and definitions we have chosen 9 economic series with Δt_{\min} in one day for the period from April 27, 1993 to March 31, 2010. The chosen series correspond to the following groups that differ in their origin:

- 1) stock market indices: USA (S&P500), Great Britain (FTSE 100) and Brazil (BVSP);
- 2) currency dollar cross-rates (chf, jpy, gbp);
- 3) commodity market (gold, silver, and oil prices).

On Fig. 1-3 normalized plots of the corresponding series, divided by groups, are introduced, while Δt_{\min} is taken equal to the unit.

As you can see from the Fig. 1-3, all time series include visually noticeable chaotic component and obviously differ from each other, which allows us to hope for the successful application the aforementioned theory to the interpretation and analysis of real series. Let us confine to its elementary variant.

As an example on fig. 4 we suggest absolute values of immediate speeds (or absolute returns according to the general terminology used in literature), calculated with the help of the

formula evaluation (9), and their variance (volatility), calculated with the help of the formula evaluation (13) for the series of Japanese yen (jpy) US dollar cross-rates.

As we can see from the plots, the dependence of immediate speed or returns on time is of chaotic nature, while the dependence of volatility is smooth but not monotonous. For the rest of initial series, the dependencies of volatility and returns are similar to the depicted on the fig. 4 ones.




Fig. 1. USA (S&P 500), Great Britain (FTSE 100), and Brazil (BVSP) daily stock indices from April 27, 1993 to March 31, 2010.




Fig. 2. Daily currency dollar cross-rates (chf, jpy, gbp)




Fig. 3. Commodity market. Daily gold, silver, and oil prices.




Fig. 4. Absolute values of immediate speeds (abs returns) and their dispersions (volatility).




Fig. 5. Coefficients of time compression-expansion, market «temperature». The explanation is in the text.

The formulae (11,23,25) show that $\tau(t)$ exists in proportion to the averaged square speed (according to the chosen time span and series), i.e. average «energy» of the economical «particle» (as it is in

our analogy), and can be thus interpreted as the series «temperature». Crises are distinguished with the intensification of economic processes (the «temperature» is rising), while during the crisis-free period their deceleration can be observed (the «temperature» is falling), what can be interpreted as the heterogenous flow of economic time. $\tau(t)$ dependences shown on the fig. 5 illustrate all afore-mentioned. Note that local time acceleration-deceleration can be rather significant.

Transition to heterogenous economic time allows to make the observed economic series more homogenous, which can simplify both analysis and prediction.

In table we give the values of a non-dimentional economic mass of the m_i series, calculated using (22) for all 9 incoming series, as well as average masses of each group (formula (29)).

Table. Economic series masses

Incoming series		Economic mass	Average economic mass of the group
Commodity market	gold	$2,816 \cdot 10^4$	$4,983 \cdot 10^3$
	silver	$4,843 \cdot 10^3$	
	oil	$2,777 \cdot 10^3$	
Currency market	jpy	$2,148 \cdot 10^4$	$2,499 \cdot 10^4$
	gbp	$3,523 \cdot 10^4$	
	chf	$2,180 \cdot 10^4$	
Stock market	S&P 500	$6,251 \cdot 10^3$	$4,748 \cdot 10^3$
	FTSE 100	$6,487 \cdot 10^3$	
	BVSP	$1,507 \cdot 10^3$	

As you can see from the table, the stock market is distinguished with the lowest mass value, while the currency one shows the maximum number. Oil price series has the lowest mass on the commodity market, gold – the highest one. As for the currency market, British pound (gbp) have the highest value and Japanese yen rates (jpy) demonstrates the minimum mass of the group, although the dispersion is lower than that of the commodity market. The smallest spread is peculiar to the currency market. Dynamic and

developing Brazilian market (BVSP) has the lowest mass, while the maximum value, just like in the previous case, corresponds to Great Britain (FTSE 100). It is explained by the well-known fact: Britain has been always known for its relatively «closed» economy as compared with the rest of the European and non-European countries.

The last group of experimental data corresponds to the dependence of Planck's economic constant (calculated for different series) on time $\Delta t = k\Delta t_{\min}$ (time between the neighbouring registered observations), which is characterised by $H_i(k, \bar{n})$ coefficient (see formula (24)).

On fig. 6-8 integral dependencies $H_i(k)$ are depicted. The following are averaged on the whole period of time 1993-2010 and calculated for commodity, stock, and currency markets. As you can see there are no obvious regularities, which can be explained by various crises and recessions of the world and national economies that took place during the investigated period.

To decide whether it is possible for local regularities of Planck's economic constant dependence on Δt to appear, we have chosen relatively small averaging fragments, $\Delta N = 500$, which approximately equals two years. Corresponding results for some of these fragments on commodity, currency, and stock markets are given on fig. 9-11. Evidently, all three figures show clear tendencies of $H_i(k, \bar{n})$ recession and rise for each type of the market (unlike integral dependences $H_i(k)$).




Fig. 6. Integral coefficient $H_i(k)$ dependences for commodity market




Fig. 7. Integral coefficient $H_i(k)$ dependences for stock market .




Fig. 8. Integral coefficient $H_i(k)$ dependences for currency market.




Fig. 9. Local coefficient $H_i(k, \bar{n})$ dependences for commodity market (averaging time span from 27.04.1993 to 12.06.1995, 500 daily values).




Fig. 10. Local coefficient $H_i(k, \bar{n})$ for currency market (averaging time span from 12.06.1995 to 15.07.1997, 500 daily values).




Fig. 11. Local coefficient $H_i(k, \bar{n})$ dependences for stock market (averaging time span from 12.06.1995 to 15.07.1997, 500 daily values).

Conclusions. We have conducted methodological and philosophical analysis of physical notions and their formal and informal connections with real economic measurements. Basic ideas of the general relativity theory and relativistic quantum mechanics concerning spacetime properties and physical dimensions peculiarities were used as well. We have suggested procedures of detecting normalized economic coordinates, economic mass and heterogenous economic time. The afore-mentioned procedures are based on socio-economic time series analysis and economical interpretation of Heisenberg's uncertainty principle. The notion of economic Planck's constant has also been introduced. The theory has been tested on real economic time series, including stock indices, currency rates, and commodity prices. Acquired results indicate the availability of further investigations.

References

- 1.V. M. Saptsin and V. N. Soloviev. Relativistic Quantum Econophysics. New paradigms of Complex systems modeling: Monograph. Brama-Ukraine, Cherkassy, 2009.
- 2.V. Saptsin and V. Soloviev. Relativistic quantum econophysics - new paradigms in complex systems modelling. ArXiv e-prints, jul 2009.
- 3.B. E. Baaquie. Quantum Finance. Cambridge University Press, Cambridge, 2004.
- 4.V. Maslov. Quantum Economics. Science, Moscow, 2006.
- 5.C. P. Goncalves. Quantum Financial Economics - Risk and Returns. ArXiv e-prints, July 2011.
- 6.R. N. Mantegna and H. E. Stanley. An Introduction to Econophysics: Correlations and Complexity in Finance. Cambridge Univ. Press, Cambridge UK, 2000.
- 7.V. D. Derbentsev, A. A. Serdyuk, and V. N. Soloviev and O. D. Sharapov. Synergetical and econophysical methods for the modeling of dynamic and structural characteristics of economic systems. Monograph (in Ukrainian). Brama-Ukraine, Cherkassy, 2010.
- 8.V. Balasubramanian. What we don't know about time. Foundations of Physics, page 139, sep 2011.
- 9.Y. S. Vladimirov. A relational theory of space-time interactions. Part 1. MGU, Moscow, 1996.

10.Y. S. Vladimirov. A relational theory of space-time interactions. Part 2. MGU, Moscow, 1996.

11.M. Kaku. Parallel worlds: a journey through creation, higher dimensions, and the future of the cosmos. Anchor Books, 2006.

12.M. Kaku. Physics of the impossible: a scientific exploration into the world of phasers, force fields, teleportation, and time travel. Doubleday, 2008.

[13.](#)V. M. Sapsin and D. M. Chabanenko. The complexity problem and non-linear time in socio-economic processes forecasting. In Problemy ekonomichnoyi kibernetiki: Tezi dopovidey XIV Vseukrayinskoyi Naukova-praktichnoyi konferentsiyi, pages 130-131, Kharkiv, 2009. KNU imeni V. N. Karazina.